AUTHOR INDEX

(D) Denotes Demonstration (T) Title only

ABBOTT N. Joan & BUNDGAARD M. Vascularity and microvessel surface area density in brain and muscle of the cephalopod *Sepia officinalis*. 98*P*

ADAMS L., GUZ A., INNES J.A. & MURPHY K. The circulatory response to voluntary and electrically induced exercise in man. 99*P*

ALLEN D.G., EISNER D.A. & VALDEOLMILLOS M. The use of aequorin to measure intracellular calcium in voltage-clamped cardiac Purkinje fibres. (D) 7*P*

ALLEN D.G., EISNER D.A., SMITH G.L. & WRAY Susan The effects of an extract of the foxglove (*Digitalis purpurea*) on tension and intracellular calcium concentration in ferret papillary muscle. 55*P*

ALLEN D.G., NICHOLS C.G. & SMITH G.L. The effect of diastolic length on calcium transients in isolated ferret ventricular muscle. 57*P*

AMOBI N.I.B. & SMITH I.C.H. The selective effects of calcium substitution with strontium on the biphasic responses of the rat isolated vas deferens. 69*P*

ANDERSEN P., STORM J. & WHEAL H.V. Distal and proximal dendritic synapses elicit action potentials at different thresholds in CA1 pyramidal cells in the rat hippocampus *in vitro*. 46*P*

ANDERSON Debra F., FABER J. Job, MORTON Mark J., PARKS Christine M., PINSON C. Wright & THORNBURG Kent L. Flow through the foramen ovale of the fetal and new-born lamb. 29

ANDERSON R.A. & MITCHELL R. Evidence for GABA receptors on rat somatotrophes and gonadotrophes. 51*P*

ARMETT-KIBEL Christine & MEINERTZHAGEN I.A. Connections of long visual fibres in the optic lobes of the dragon-fly *Sympetrum*. 38*P*

ARMSTRONG D.J. & KAY I.S. MDL 72222 (a 5-HT antagonist) antagonizes the pulmonary depressor and respiratory chemoreflexes evoked by phenylbiguanide in anaesthetized rabbits. 104*P*

ATTWELL D., BREW H., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Use of patch-clamp recording to study Müller cells and bipolar cells isolated from, or in, slices of the axolotl retina. (D) 4*P*

ATTWELL D., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Membrane currents in depolarizing bipolar cells recorded by whole-cell patch-clamping in living retinal slices from the axolotl retina. 34*P*

ATWOOD H.L., LNENICKA G. & MARIN L. Morphological responses to conditioning stimuluation in a phasic motor axon of crayfish (*Procambarus clarkii*). 26*P*

BAGNI M.A., CECCHI G. & COLOMO F. The velocity of the 'quick tension recovery' during the rise of tension in an isometric tetanus in frog single muscle fibres. 68*P*

BAKER Belinda, PEATFIELD A.C. & RICHARDSON P.S. Nervous control of mucin secretion into human bronchi 297

BAKHLE Y.S. & GRANTHAM C.J. Pulmonary oedema alters the metabolism of exogenous adenine nucleotides in rat isolated lung. 106*P*

BALLANYI K. & GRAFE P. An intracellular analysis of γ-aminobutyric-acid-associated ion movements in rat sympathetic neurones. 41

BALLARD H.J., COTTERRELL D. & KARIM F. The effect of stimulation of the gracilis muscle on venous adenosine content and vascular responses in dogs. 97*P*

BAMFORD O.S., DAWES G.S. & WARD R.A. A possible dopaminergic pathway stimulating breathing in fetal lambs. 105*P*

BARBOSA E. & GIRALDEZ F. & REPRESA J. Transepithelial potential and resistance in the otic vesicle of the chick embryo. 53*P*

BARNES Margaret, COTTRELL G.A. & DUNBAR S.J. The action of cobalt ions on the response of the C1 neurone of *Helix aspersa* to 5-hydroxytryptamine. 84*P*

BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Calcium transients from intact frog skeletal muscle fibres simultaneously injected with Antipyrylazo III and Axol. 70*P*

BELL J.J.S., BOND Susan M., GORDON Helen J. & MCQUEEN D.S. Influence of domperidone on respiratory responses to dopamine and hypoxia in rats anaesthetized with halothane. 103*P*

BENNETT T. & GARDINER S.M. Fluid and electrolyte handing during water deprivation in Brattleboro and Long Evans rats. 110*P*

BERARDELLI A., DAY B.L., MARSDEN C.D. & ROTHWELL J.C. Observations on the mechanism of long-lasting reciprocal inhibition in the human forearm. 24*P*

BEVAN S., ENTWISTLE A., WARNER Anne & ZALIN Rosalind Acetylcholine receptors play a role in the regulation of chick myoblast fusion. 89*P*

BIGLAND-RITCHIE B., DAWSON N.J., JOHANSSON R.S. & LIPPOLD O.C.J. Reflex control of motoneurone firing rates during fatigue in man. 23*P*

BINDMAN Lynn J., MEYER T. & PRINCE C.A. Intracellular measurements of the electrical properties of neurones in the cerebral cortex of the rat: comparative data from slices *in vitro* and from the anaesthetized animal. (D) 15*P*

BISCOE T.J., DUCHEN M.R. & WILSON M.G.A. Use of the RML microcomputer 380Z for on-line testing of primary afferent terminal excitability in the mouse spinal cord *in vitro*. (D) 2*P*

BISSET G.W., CHOWDREY H.S. & FELDBERG W. An osmosensitive zone on the dorsal surface of the medulla in the cat. 30*P*

BOND Susan M. *see* BELL J.J.S., BOND Susan M., GORDON Helen J. & MCQUEEN D.S. Influence of domperidone on respiratory responses to dopamine and hypoxia in rats anaesthetized with halothane. 103*P*

BOSTOCK H. & GRAFE P. Activity-dependent excitability changes in normal and demyelinated rat spinal root axons. 239

BOYETT M.R. & LEVI A.J. Cardiac glycoside inotropy dissociated from intracellular Na^+ activity (a^i_{Na}) in isolated cardiac Purkinje fibres of the sheep. 66*P*

BREW H. *see* ATTWELL D., BREW H., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Use of patch-clamp recording to study Müller cells and bipolar cells isolated from, or in, slices of the axolotl retina. (D) 4*P*

BROWN D.A. & SELYANKO A.A. Membrane currents underlying the cholinergic slow excitatory post-synaptic potential in the rat sympathetic ganglion. 365

BROWNLEE A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Decreased natriuretic response to atrial natriuretic factor (ANF) in water loaded rats. 111*P*

BULLIER J., DEHAY C. & KENNEDY H. Callosal connections of the visual cortex in newborn and adult Old World monkeys (*Macaca irus*). 43*P*

BUNDGAARD M. *see* ABBOTT N. Joan & BUNDGAARD M. Vascularity and microvessel surface area density in brain and muscle of the cephalopod *Sepia officinalis*. 98*P*

BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

BYRNE N.G., HIRST G.D.S. & LARGE W.A. The nature of the adrenoceptors in the isolated rat basilar artery during development. 95*P*

CARO C.G., LEVER M.J. & TARBELL J.M. Effect of luminal flow rate on transmural fluid flux in the perfused rabbit common carotid artery. 92*P*

CARO C.G., FISH P.J., GOSS D.E., HALLS J., LEVER M.J., PARKER K.H. & STACEY-CLEAR A. Effect of isosorbide dinitrate on arterial haemodynamics in man. 93*P*

CECCHI G. *see* BAGNI M.A., CECCHI G. & COLOMO F. The velocity of the 'quick tension recovery' during the rise of tension in an isometric tetanus in frog single muscle fibres. 68*P*

CERVERO F. & PLENDERLEITH M.B. C-fibre excitation and tonic descending inhibition of dorsal horn neurones in adult rats treated at birth with capsaicin. 223

CHESNOY-MARCHAIS D. Single channels permeable to calcium ions in *Aplysia* neurones. 83*P*

CHOWDREY H.S. *see* BISSET G.W., CHOWDREY H.S. & FELDBERG W. An osmosensitive zone on the dorsal surface of the medulla in the cat. 30*P*

CLARAC F., LIBERSAT F. & ZILL S. Single mechanoreceptor afferent units firing during locomotion in the shore crab (*Carcinus maenas*). 25*P*

CLARK B. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

CLARK R.P., GOFF M.R. & JAGOE J.R. Computer pattern recognition of infra-red thermograms. (D) 3*P*

COAN E.J., COLLINGRIDGE G.L., HERRON C.E. & LESTER R.A.J. Demonstration of a phencyclidine-sensitive *N*-methyl-D-aspartate-receptor-mediated component of an e.p.s.p. in rat hippocampal slices. 45*P*

COLLINGRIDGE G.L. *see* COAN E.J., COLLINGRIDGE G.L., HERRON C.E. & LESTER R.A.J. Demonstration of a phencyclidine-sensitive *N*-methyl-D-aspartate-receptor-mediated component of an e.p.s.p. in rat hippocampal slices. 45*P*

COLOMO F., LOMBARDI V. & PIAZZESI G. A velocity-dependent shortening deactivation in frog muscle fibres during the rise of tension in an isometric tetanus. 64*P*

COLOMO F. *see* BAGNI M.A., CECCHI G. & COLOMO F. The velocity of the 'quick tension recovery' during the rise of tension in an isometric tetanus in frog single muscle fibres. 68*P*

CONSTANTI A. & SIM J.A. A slow, muscarine-sensitive Ca-dependent K current in guinea-pig olfactory cortex neurones *in vitro*. 47*P*

COOTE J.H., DALTON D.W., FENIUK W. & HUMPHREY P.P.A. The central location of the sympatho-inhibitory action of 5-hydroxytryptamine given intracerebroventricularly (i.c.v.) in the cat. 29*P*

COOTE J.H. & YUSOF A.P.M. The responses of vasoconstrictor neurones of skeletal muscle and kidney to stimulation of the medullary raphe area of the rat. 112*P*

COTTERRELL D. *see* BALLARD H.J., COTTERRELL D. & KARIM F. The effect of stimulation of the gracilis muscle on venous adenosine content and vascular responses in dogs. 97*P*

COTTRELL G.A. *see* BARNES Margaret, COTTRELL G.A. & DUNBAR S.J. The action of cobalt ions on the response of the C1 neurone of *Helix aspersa* to 5-hydroxytryptamine. 84*P*

COTTRELL G.A., LAMBERT J.J. & PETERS J.A. Chloride currents activated by GABA in cultured bovine chromaffin cells. 90*P*

CRAIG A.D. & KNIFFKI K.-D. Spinothalamic lumbosacral lamina I cells responsive to skin and muscle stimulation in the cat. 197

CRUNELLI Vincenzo, LERESCHE Nathalie & PIRCHIO Mario Lack of calcium potentials in principal neurones of the rat ventral LGN *in vitro*. 39*P*

CRUNELLI Vincenzo, LERESCHE Nathalie & PIRCHIO Mario Non-NMDA receptors mediate the optic nerve input to the rat LGN *in vitro*. 40*P*

CRUZ-HÖFLING M.A., DUCHEN L.W. & LOVE S. Alterations in the morphology of myelinated nerve fibres caused by *Phoneutria*, *Leiurus* or *Centruroides* venom are prevented by tetrodotoxin. 27*P*

DALTON D.W. *see* COOTE J.H., DALTON D.W., FENIUK W. & HUMPHREY P.P.A. The central location of the sympatho-inhibitory action of 5-hydroxytryptamine given intracerebroventricularly (i.c.v.) in the cat. 29*P*

DATTA A.K., FLEMING Jean R. & STEPHENS J.A. Effect of central nervous system lesions on the synchronization between motor unit discharge during voluntary contraction in human first dorsal interosseous muscle. 19*P*

DAVEY N.J. & ELLAWAY P.H. A dorsolateral spinal pathway controlling the pattern of gamma motoneurone discharge in the cat. 20*P*

DAVIES C.T.M., DOOLEY P., MCDONAGH M.J.N. & WHITE M.J. Adaptation of mechanical properties of muscle to high force training in man. 277

DAVIES J., MILLER A.J. & SHEARDOWN M.J. Excitatory amino acid receptors and neurotransmission in the cat red nucleus. 33*P*

DAWES G.S. *see* BAMFORD O.S., DAWES G.S. & WARD R.A. A possible dopaminergic pathway stimulating breathing in fetal lambs. 105*P*

DAWSON M.J., SPURWAY N.C. & WRAY Susan A ^{31}P nuclear magnetic resonance (NMR) study of isolated rabbit arterial smooth muscle. 72*P*

DAWSON N.J. *see* BIGLAND-RITCHIE B., DAWSON N.J., JOHANSSON R.S. & LIPPOLD O.C.J. Reflex control of motoneurone firing rates during fatigue in man. 23*P*

DAY B.L. *see* BERARDELLI A., DAY B.L., MARSDEN C.D. & ROTHWELL J.C. Observations on the mechanism of long-lasting reciprocal inhibition in the human forearm. 24*P*

DE SOUSA R.C. & GROSSO Alda Forskolin mimics the hydrosmotic action of vasopressin in the urinary bladder of toads *Bufo marinus*. 307

DEBAS H.T. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

DEHAY C. *see* BULLIER J., DEHAY C. & KENNEDY H. Callosal connections of the visual cortex in newborn and adult Old World monkeys (*Macaca irus*). 43*P*

DEL MILTON R.C. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

DICKENSON A.H., KNOX R. & SULLIVAN A. The effects of intrathecal mu and kappa opiates on nociceptive processing in the rat dorsal horn. 31*P*

DILLY Stephen G. & LAB Max J. The temporovectorcardiogram (TVCG) – a new electrocardiographic technique. (D) 18*P*

DJAMGOZ M.B.A. & DOWNING J.E.G. Does substance P control sensitivity of ganglion cells in the vertebrate (fish) retina? 36*P*

DOLAN P., GREIG C. & SARGEANT A.J. Effect of active and passive warm-up on maximal short-term power output of human muscle. 74*P*

DOLLY J.O., LANDE S. & WRAY D. A population of miniature end-plate potential unaffected by botulinum neurotoxin at mouse motor nerve terminals. 80*P*

DOLPHIN A.C., FORDA S.R. & SCOTT R.H. The adenosine analogue 2-chloroadenosine inhibits Ba^{2+} currents in rat dorsal root ganglion neurones in culture. 86*P*

DOOLEY P. *see* DAVIES C.T.M., DOOLEY P., MCDONAGH M.J.N. & WHITE M.J. Adaptation of mechanical properties of muscle to high force training in man. 277

DOWNING J.E.G. *see* DJAMGOZ M.B.A. & DOWNING J.E.G. Does substance P control sensitivity of ganglion cells in the vertebrate (fish) retina? 36*P*

DUCHEN L.W. *see* CRUZ-HÖFLING M.A., DUCHEN L.W. & LOVE S. Alterations in the morphology of myelinated nerve fibres caused by *Phoneutria*, *Leiurus* or *Centruroides* venom are prevented by tetrodotoxin. 27*P*

DUCHEN M.R. *see* BISCOE T.J., DUCHEN M.R. & WILSON M.G.A. Use of the RML microcomputer 380Z for on-line testing of primary afferent terminal excitability in the mouse spinal cord *in vitro*. (D) 2*P*

DUNBAR S.J. *see* BARNES Margaret, COTTRELL G.A. & DUNBAR S.J. The action of cobalt ions on the response of the C1 neurone of *Helix aspersa* to 5-hydroxytryptamine. 84*P*

DZIEGIELEWSKA K.M., MØLLGARD K., SAUNDERS N.R., SOREQ H. & ZAKUT H. mRNA expression and localization of plasma proteins in human fetal brain. 54*P*

ECKBERG Dwain L., NERHED Christer & WALLIN B. Gunnar Respiratory modulation of muscle sympathetic and vagal cardiac outflow in man. 181

EDMAN K.A.P., REGGIANI C. & TE KRONNIE G. Differences in maximum velocity of shortening along single muscle fibres of the frog. 147

EDMONDS C.J. & LAW A. *In vivo* studies of exogenous human thyrotrophin. 116*P*

EISNER D.A. *see* ALLEN D.G., EISNER D.A. & VALDEOLMILLOS M. The use of aequorin to measure intracellular calcium in voltage-clamped cardiac Purkinje fibres. (D) 7*P*

EISNER D.A. *see* ALLEN D.G., EISNER D.A., SMITH G.L. & WRAY Susan The effects of an extract of the foxglove (*Digitalis purpurea*) on tension and intracellular calcium concentration in ferret papillary muscle. 55*P*

EISNER D.A. & VALDEOLMILLOS M. Measurement of intracellular Ca oscillations from one cell in a sheep isolated Purkinje fibre. 56*P*

ELFONT Robert M. & FITZSIMONS James T. The effect of captopril on sodium appetite in adrenalectomized and deoxycorticosterone-treated rats. 1

ELLAWAY P.H. *see* DAVEY N.J. & ELLAWAY P.H. A dorsolateral spinal pathway controlling the pattern of gamma motoneurone discharge in the cat. 20*P*

ELZINGA G. & VAN DER LAARSE W.J. Oxygen consumption of single frog muscle fibres during twitch contractions. 71*P*

EMMERSON J.C.S. & JOHNS E.J. Intrarenal angiotensin II and the control of renal function in the rat. 113*P*

ENTWISTLE A. *see* BEVAN S., ENTWISTLE A., WARNER Anne & ZALIN Rosalind Acetylcholine receptors play a role in the regulation of chick myoblast fusion. 89*P*

FABER J. Job *see* ANDERSON Debra F., FABER J. Job, MORTON Mark J., PARKS Christine M., PINSON C. Wright & THORNBURG Kent L. Flow through the foramen ovale of the fetal and new-born lamb. 29

FAGG G.E. & FOSTER A.C. The binding of *N*-methyl-D-aspartate receptor ligands to a crude postsynaptic density preparation from rat forebrain 44*P*

FAULKNER J.A. & JONES D.A. An apparatus for unilateral *in situ* exercise of the lower limb muscles of small mammals. (D) 11*P*

FAULKNER J.A., JONES D.A. & ROUND J.M. Injury to skeletal muscle of mice by lengthening contractions. 75*P*

FELDBERG W. *see* BISSET G.W., CHOWDREY H.S. & FELDBERG W. An osmosensitive zone on the dorsal surface of the medulla in the cat. 30*P*

FELGATE T.C.G. & GARDNER-MEDWIN A.R. Oxygen electrodes for use on the surface of brain tissue subjected to pressure during neurosurgery. (D) 13*P*

FENIUK W. *see* COOTE J.H., DALTON D.W., FENIUK W. & HUMPHREY P.P.A. The central location of the sympatho-inhibitory action of 5-hydroxytryptamine given intracerebroventricularly (i.c.v.) in the cat. 29*P*

FISH P.J. *see* CARO C.G., FISH P.J., GOSS D.E., HALLS J., LEVER M.J., PARKER K.H. & STACEY-CLEAR A. Effect of isosorbide dinitrate on arterial haemodynamics in man. 93*P*

FITZSIMONS James T. *see* ELFONT Robert M. & FITZSIMONS James T. The effect of captopril on sodium appetite in adrenalectomized and deoxycorticosterone-treated rats. 1

FLEMING Jean R. *see* DATTA A.K., FLEMING Jean R. & STEPHENS J.A. Effect of central nervous system lesions on the synchronization between motor unit discharge during voluntary contraction in human first dorsal interosseous muscle. 19*P*

FORD T.W. & MCWILLIAM P.N. The relative effects of electrical stimulation of myelinated and non-myelinated vagal fibres on heart rate in the rabbit. 91*P*

FORDA S.R. *see* DOLPHIN A.C., FORDA S.R. & SCOTT R.H. The adenosine analogue 2-chloroadenosine inhibits Ba^{2+} currents in rat dorsal root ganglion neurones in culture. 86*P*

FOSTER A.C. *see* FAGG G.E. & FOSTER A.C. The binding of *N*-methyl-D-aspartate receptor ligands to a crude postsynaptic density preparation from rat forebrain 44*P*

FOSTER Kent H., GASKA James P., NAGLER Miriam & POLLEN Daniel A. Spatial and temporal frequency selectivity of neurones in visual cortical areas V1 and V2 of the macaque monkey. 331

FOWLER J.C., GREENE R. & WEINREICH D. Two calcium-sensitive spike after-hyperpolarizations in visceral sensory neurones of the rabbit. 59

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Fluid and electrolyte handing during water deprivation in Brattleboro and Long Evans rats. 110*P*

GARDNER-MEDWIN A.R. *see* FELGATE T.C.G. & GARDNER-MEDWIN A.R. Oxygen electrodes for use on the surface of brain tissue subjected to pressure during neurosurgery. (D) 13*P*

GARDNER-MEDWIN A.R. The space constant for glial potassium buffering in the isolated frog brain. 52*P*

GASKA James P. *see* FOSTER Kent H., GASKA James P., NAGLER Miriam & POLLEN Daniel A. Spatial and temporal frequency selectivity of neurones in visual cortical areas V1 and V2 of the macaque monkey. 331

GILLIS J.M., LEBACQ J. & PIRONT A. Quantification of the relaxing effect of muscle parvalbumins. 67*P*

GIRALDEZ F. *see* BARBOSA E. & GIRALDEZ F. & REPRESA J. Transepithelial potential and resistance in the otic vesicle of the chick embryo. 53*P*

GLYN H. & SLEEP J. Dependence of adenosine triphosphatase activity of rabbit psoas muscle fibres and myofibrils on substrate concentration. 259

GOFF M.R. *see* CLARK R.P., GOFF M.R. & JAGOE J.R. Computer pattern recognition of infra-red thermograms. (D) 3*P*

GORDON Helen J. *see* BELL J.J.S., BOND Susan M., GORDON Helen J. & MCQUEEN D.S. Influence of domperidone on respiratory responses to dopamine and hypoxia in rats anaesthetized with halothane. 103*P*

GOSS D.E. *see* CARO C.G., FISH P.J., GOSS D.E., HALLS J., LEVER M.J., PARKER K.H. & STACEY-CLEAR A. Effect of isosorbide dinitrate on arterial haemodynamics in man. 93*P*

GRAFE P. *see* BALLANYI K. & GRAFE P. An intracellular analysis of γ-aminobutyric-acid-associated ion movements in rat sympathetic neurones. 41

GRAFE P. *see* BOSTOCK H. & GRAFE P. Activity-dependent excitability changes in normal and demyelinated rat spinal root axons. 239

GRANTHAM C.J. *see* BAKHLE Y.S. & GRANTHAM C.J. Pulmonary oedema alters the metabolism of exogenous adenine nucleotides in rat isolated lung. 106*P*

GREENE R. *see* FOWLER J.C., GREENE R. & WEINREICH D. Two calcium-sensitive spike after-hyperpolarizations in visceral sensory neurones of the rabbit. 59

GREIG C. *see* DOLAN P., GREIG C. & SARGEANT A.J. Effect of active and passive warm-up on maximal short-term power output of human muscle. 74*P*

GRIEVE K.L., MURPHY P.C. & SILLITO A.M. An evaluation of the role of CCK and VIP in the cat visual cortex. 42*P*

GRIFFIN G.E., MCDOUGALL A., MIAN N. & RICHARDSON P.S. A method for measuring the output of mucins from the hamster caecum. (D) 17*P*

GRIFFITHS T.D. & KAY R.H. Amplitude-modulation rate discrimination in human hearing: at 250 Hz and compared with other carrier frequencies. 41*P*

GROSSO ALDA *see* DE SOUSA R.C. & GROSSO ALDA Forskolin mimics the hydrosmotic action of vasopressin in the urinary bladder of toads *Bufo marinus*. 307

GUZ A. *see* ADAMS L., GUZ A., INNES J.A. & MURPHY K. The circulatory response to voluntary and electrically induced exercise in man. 99*P*

GUZ A., MACRAE K., MURPHY K., SHEA S. & WALTER J. The effect of opening the eyes and reading on resting ventilation in man. 101*P*

HALLS J. *see* CARO C.G., FISH P.J., GOSS D.E., HALLS J., LEVER M.J., PARKER K.H. & STACEY-CLEAR A. Effect of isosorbide dinitrate on arterial haemodynamics in man. 93*P*

HAMM Thomas M., REINKING Robert M., ROSCOE Dennis D. & STUART Douglas G. Synchronous afferent discharge from a passive muscle of the cat: significance for interpreting spike-triggered averages. 77

HARRIS R.C. & HULTMAN E. Adenine nucleotide depletion in human muscle in response to intermittent stimulation *in situ*. 73*P*

HARRISON P.J., JACK J.J.B. & KULLMANN D.M. The components of monosynaptic excitatory post-synaptic potentials evoked in cat lumbosacral motoneurones by impulses in descending fibres. 32*P*

HAYNES L. & YAU K.-W. Cyclic GMP-sensitive conductance in excised inside-out membrane patches from catfish cone outer segment. 35*P*

HENNESSEY Todd M. & KUNG Ching Slow inactivation of the calcium current of *Paramecium* is dependent on voltage and not internal calcium. 165

HERRON C.E. *see* COAN E.J., COLLINGRIDGE G.L., HERRON C.E. & LESTER R.A.J. Demonstration of a phencyclidine-sensitive *N*-methyl-D-aspartate-receptor-mediated component of an e.p.s.p. in rat hippocampal slices. 45*P*

HIRST G.D.S. *see* BYRNE N.G., HIRST G.D.S. & LARGE W.A. The nature of the adrenoceptors in the isolated rat basilar artery during development. 95*P*

HOCHGESAND U., MUSCHOLL E. & RACKÉ K. Gadolinium ions inhibit basal and electrically evoked ^{45}calcium overflow from isolated superfused neural lobes of the rat pituitary gland. 50*P*

HOLLAND R.L., KEATINGE W.R. & SAYERS J.A. Some effects of raised body temperature on mental activity 117*P*

HOLLINGWORTH S. *see* BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Calcium transients from intact frog skeletal muscle fibres simultaneously injected with Antipyrylazo III and Axol. 70*P*

HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Electrically evoked dopamine (DA) release from the neuro-intermediate lobe (NIL) of the rat hypophysis is increased after dehydration. 48*P*

HUI C.S. *see* BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Calcium transients from intact frog skeletal muscle fibres simultaneously injected with Antipyrylazo III and Axol. 70*P*

HULTMAN E. *see* HARRIS R.C. & HULTMAN E. Adenine nucleotide depletion in human muscle in response to intermittent stimulation *in situ*. 73*P*

HUMPHREY P.P.A. *see* COOTE J.H., DALTON D.W., FENIUK W. & HUMPHREY P.P.A. The central location of the sympatho-inhibitory action of 5-hydroxytryptamine given intracerebroventricularly (i.c.v.) in the cat. 29*P*

INNES J.A. *see* ADAMS L., GUZ A., INNES J.A. & MURPHY K. The circulatory response to voluntary and electrically induced exercise in man. 99*P*

JACK J.J.B. *see* HARRISON P.J., JACK J.J.B. & KULLMANN D.M. The components of monosynaptic excitatory post-synaptic potentials evoked in cat lumbosacral motoneurones by impulses in descending fibres. 32*P*

JAGOE J.R. *see* CLARK R.P., GOFF M.R. & JAGOE J.R. Computer pattern recognition of infra-red thermograms. (D) 3*P*

JOHANSSON R.S. *see* BIGLAND-RITCHIE B., DAWSON N.J., JOHANSSON R.S. & LIPPOLD O.C.J. Reflex control of motoneurone firing rates during fatigue in man. 23*P*

JOHNS E.J. *see* EMMERSON J.C.S. & JOHNS E.J. Intrarenal angiotensin II and the control of renal function in the rat. 113*P*

JOHNS L., SARGEANT A.J. & WHITTLE M.W. The measurement of external knee moment during weight-lifting. (D) 9*P*

JONES C.M. & LAB MAX J. Increased afterload reduces monophasic action potential duration in porcine left ventricle *in situ*. 62*P*

JONES D. A. & NEWHAM D.J. A simple apparatus for eccentric or concentric exercise of the biceps. (D) 10*P*

JONES D.A. *see* FAULKNER J.A. & JONES D.A. An apparatus for unilateral *in situ* exercise of the lower limb muscles of small mammals. (D) 11*P*

JONES D.A. *see* FAULKNER J.A., JONES D.A. & ROUND J.M. Injury to skeletal muscle of mice by lengthening contractions. 75*P*

JONES D.A. & NEWHAM D.J. The effect of training on human muscle pain and damage. 76*P*

JONES P.W. & WAKEFIELD Julie M. Haemodynamic and ventilatory responses to a vasodilator during steady-state upright exercise in man following beta-adrenergic blockade. 100*P*

KARIM F. *see* BALLARD H.J., COTTERRELL D. & KARIM F. The effect of stimulation of the gracilis muscle on venous adenosine content and vascular responses in dogs. 97*P*

KAY I.S. *see* ARMSTRONG D.J. & KAY I.S. MDL 72222 (a 5-HT antagonist) antagonizes the pulmonary depressor and respiratory chemoreflexes evoked by phenylbiguanide in anaesthetized rabbits. 104*P*

KAY R.H. *see* GRIFFITHS T.D. & KAY R.H. Amplitude-modulation rate discrimination in human hearing: at 250 Hz and compared with other carrier frequencies. 41*P*

KEATINGE W.R. *see* HOLLAND R.L., KEATINGE W.R. & SAYERS J.A. Some effects of raised body temperature on mental activity 117*P*

KENNEDY H. *see* BULLIER J., DEHAY C. & KENNEDY H. Callosal connections of the visual cortex in newborn and adult Old World monkeys (*Macaca irus*). 43*P*

KERRY C.J., RAMSEY R.L., SANSOM M.S.P., USHERWOOD P.N.R. & WASHIO H. The effect of tubocurarine on single glutamate-activated channels in locust muscle. 82*P*

KIMURA H., OKAMOTO K. & SAKAI Y. Pharmacological evidence for L-aspartate as the neurotransmitter of cerebellar climbing fibres in the guinea-pig. 103

KIRBY G.C. & MCQUEEN D.S. Effects of selective β-adrenergic antagonists on the response of carotid chemoreceptors to hypoxia in anaesthetized cats. 102*P*

KNIFFKI K.-D. *see* CRAIG A.D. & KNIFFKI K.-D. Spinothalamic lumbosacral lamina I cells responsive to skin and muscle stimulation in the cat. 197

KNOX R. *see* DICKENSON A.H., KNOX R. & SULLIVAN A. The effects of intrathecal mu and kappa opiates on nociceptive processing in the rat dorsal horn. 31*P*

KONISHI Masato, KURIHARA Satoshi & SAKAI Toshio Change in intracellular calcium ion concentration induced by caffeine and rapid cooling in frog skeletal muscle fibres. 131

KOVACS T.O.G. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

KULLMANN D.M. *see* HARRISON P.J., JACK J.J.B. & KULLMANN D.M. The components of monosynaptic excitatory post-synaptic potentials evoked in cat lumbosacral motoneurones by impulses in descending fibres. 32*P*

KUNG Ching *see* HENNESSEY Todd M. & KUNG Ching Slow inactivation of the calcium current of *Paramecium* is dependent on voltage and not internal calcium. 165

KURIHARA Satoshi *see* KONISHI Masato, KURIHARA Satoshi & SAKAI Toshio Change in intracellular calcium ion concentration induced by caffeine and rapid cooling in frog skeletal muscle fibres. 131

LAB Max J. *see* DILLY Stephen G. & LAB Max J. The temporovectorcardiogram (TVCG) – a new electrocardiographic technique. (D) 18*P*

LAB Max J. *see* JONES C.M. & LAB Max J. Increased afterload reduces monophasic action potential duration in porcine left ventricle *in situ*. 62*P*

LAKATTA E.G. & ORCHARD C.H. Heart muscle from senescent rats has a prolonged calcium transient. 58*P*

LAKIE M., WALSH E.G. & WRIGHT G.W. Absence of stretch reflex activity in a physiological tremor in man. 22*P*

LAMB T.D., MATTHEWS H.R. & TORRE V. Trapped calcium buffer alters the light-adaptation properties of rod photoreceptors from *Ambystoma tigrinum*. 37*P*

LAMBERT J.J. *see* COTTRELL G.A., LAMBERT J.J. & PETERS J.A. Chloride currents activated by GABA in cultured bovine chromaffin cells. 90*P*

LANDE S. *see* DOLLY J.O., LANDE S. & WRAY D. A population of miniature end-plate potential unaffected by botulinum neurotoxin at mouse motor nerve terminals. 80*P*

LANG B., NEWSOM-DAVIS J., PEERS C. & WRAY D. Mechanism of action of human autoantibodies interfering with acetylcholine release in the mouse. 79*P*

LARGE W.A. *see* BYRNE N.G., HIRST G.D.S. & LARGE W.A. The nature of the adrenoceptors in the isolated rat basilar artery during development. 95*P*

LAW A. *see* EDMONDS C.J. & LAW A. *In vivo* studies of exogenous human thyrotrophin. 116*P*

LEBACQ J. *see* GILLIS J.M., LEBACQ J. & PIRONT A. Quantification of the relaxing effect of muscle parvalbumins. 67*P*

LEE G. *see* BROWNLEE A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Decreased natriuretic response to atrial natriuretic factor (ANF) in water loaded rats. 111*P*

LERESCHE Nathalie *see* CRUNELLI Vincenzo, LERESCHE Nathalie & PIRCHIO Mario Lack of calcium potentials in principal neurones of the rat ventral LGN *in vitro*. 39*P*

LERESCHE Nathalie *see* CRUNELLI Vincenzo, LERESCHE Nathalie & PIRCHIO Mario Non-NMDA receptors mediate the optic nerve input to the rat LGN *in vitro*. 40*P*

LESTER R.A.J. *see* COAN E.J., COLLINGRIDGE G.L., HERRON C.E. & LESTER R.A.J. Demonstration of a phencyclidine-sensitive *N*-methyl-D-aspartate-receptor-mediated component of an e.p.s.p. in rat hippocampal slices. 45*P*

LEVER M.J. *see* CARO C.G., LEVER M.J. & TARBELL J.M. Effect of luminal flow rate on transmural fluid flux in the perfused rabbit common carotid artery. 92*P*

LEVER M.J. *see* CARO C.G., FISH P.J., GOSS D.E., HALLS J., LEVER M.J., PARKER K.H. & STACEY-CLEAR A. Effect of isosorbide dinitrate on arterial haemodynamics in man. 93*P*

LEVI A.J. *see* BOYETT M.R. & LEVI A.J. Cardiac glycoside inotropy dissociated from intracellular Na^+ activity (a^i_{Na}) in isolated cardiac Purkinje fibres of the sheep. 66*P*

LEVIN R.J. & YOUNG A. Electrogenic currents induced by secretagogues across jejuna from fed and fasted rats. 109*P*

LIBERSAT F. *see* CLARAC F., LIBERSAT F. & ZILL S. Single mechanoreceptor afferent units firing during locomotion in the shore crab (*Carcinus maenas*). 25*P*

LIPPOLD O.C.J. *see* BIGLAND-RITCHIE B., DAWSON N.J., JOHANSSON R.S. & LIPPOLD O.C.J. Reflex control of motoneurone firing rates during fatigue in man. 23*P*

LNENICKA G. *see* ATWOOD H.L., LNENICKA G. & MARIN L. Morphological responses to conditioning stimuluation in a phasic motor axon of crayfish (*Procambarus clarkii*). 26*P*

LOMBARDI V. *see* COLOMO F., LOMBARDI V. & PIAZZESI G. A velocity-dependent shortening deactivation in frog muscle fibres during the rise of tension in an isometric tetanus. 64*P*

LOO Christine K.C. & MCCLOSKEY D.I. Effects of prior instruction and anaesthesia on long-latency responses to stretch in the long flexor of the human thumb. 285

LOVE S. *see* CRUZ-HÖFLING M.A., DUCHEN L.W. & LOVE S. Alterations in the morphology of myelinated nerve fibres caused by *Phoneutria*, *Leiurus* or *Centruroides* venom are prevented by tetrodotoxin. 27*P*

LUFF A.R. & WEBB Sandra N. Electromyographic activity in the cross-reinnervated soleus muscle of unrestrained cats. 13

LUMB B.M. & MORRISON J.F.B. Effects of ventromedial forebrain stimulation on the activities of raphe- and reticulo-spinal neurones in the rat. 28*P*

MCBURNEY R.N. & NEERING I.R. Relationships between action potential duration and peak change in $[Ca^{2+}]_i$ in rat sensory neurones grown in cell culture. 59*P*

MCBURNEY R.N., SMITH S.M. & ZOREC R. Conductance states of γ-aminobutyric acid (GABA) and glycine-activated chloride (Cl^-) channels in rat spinal neurones in cell culture. 87*P*

MCCLOSKEY D.I. *see* LOO Christine K.C. & MCCLOSKEY D.I. Effects of prior instruction and anaesthesia on long-latency responses to stretch in the long flexor of the human thumb. 285

MCDONAGH M.J.N. *see* DAVIES C.T.M., DOOLEY P., MCDONAGH M.J.N. & WHITE M.J. Adaptation of mechanical properties of muscle to high force training in man. 277

MCDOUGALL A. *see* GRIFFIN G.E., MCDOUGALL A., MIAN N. & RICHARDSON P.S. A method for measuring the output of mucins from the hamster caecum. (D) 17*P*

MCQUEEN D.S. *see* KIRBY G.C. & MCQUEEN D.S. Effects of selective β-adrenergic antagonists on the response of carotid chemoreceptors to hypoxia in anaesthetized cats. 102*P*

MCQUEEN D.S. *see* BELL J.J.S., BOND Susan M., GORDON Helen J. & MCQUEEN D.S. Influence of domperidone on respiratory responses to dopamine and hypoxia in rats anaesthetized with halothane. 103*P*

MACRAE K. *see* GUZ A., MACRAE K., MURPHY K., SHEA S. & WALTER J. The effect of opening the eyes and reading on resting ventilation in man. 101*P*

McWILLIAM P.N. *see* FORD T.W. & McWILLIAM P.N. The relative effects of electrical stimulation of myelinated and non-myelinated vagal fibres on heart rate in the rabbit. 91*P*

MARIN L. *see* ATWOOD H.L., LNENICKA G. & MARIN L. Morphological responses to conditioning stimuluation in a phasic motor axon of crayfish (*Procambarus clarkii*). 26*P*

MARSDEN C.D. *see* BERARDELLI A., DAY B.L., MARSDEN C.D. & ROTHWELL J.C. Observations on the mechanism of long-lasting reciprocal inhibition in the human forearm. 24*P*

MATTHEWS B. & MYSLINSKI N. Selective stimulation of afferent nerves in incisor tooth-pulp of the rat. (D) 14*P*

MATTHEWS H.R. *see* LAMB T.D., MATTHEWS H.R. & TORRE V. Trapped calcium buffer alters the light-adaptation properties of rod photoreceptors from *Ambystoma tigrinum*. 37*P*

MAZZONI L., MORLEY J., PAGE C.P. & SANJAR S. Induction of airway hyper-reactivity by platelet activating factor in the guinea-pig. 107*P*

MEINERTZHAGEN I.A. *see* ARMETT-KIBEL Christine & MEINERTZHAGEN I.A. Connections of long visual fibres in the optic lobes of the dragon-fly *Sympetrum*. 38*P*

MEYER T. *see* BINDMAN Lynn J., MEYER T. & PRINCE C.A. Intracellular measurements of the electrical properties of neurones in the cerebral cortex of the rat: comparative data from slices *in vitro* and from the anaesthetized animal. (D) 15*P*

MIAN N. *see* GRIFFIN G.E., McDOUGALL A., MIAN N. & RICHARDSON P.S. A method for measuring the output of mucins from the hamster caecum. (D) 17*P*

MILEDI R., PARKER I. & SUMIKAWA K. Kainic acid opens low conductance channels in *Xenopus laevis* oocytes injected with mRNA from rat brain. 85*P*

MILLER A.J. *see* DAVIES J., MILLER A.J. & SHEARDOWN M.J. Excitatory amino acid receptors and neurotransmission in the cat red nucleus. 33*P*

MILLS Ivor H. *see* BROWNLEE A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Decreased natriuretic response to atrial natriuretic factor (ANF) in water loaded rats. 111*P*

MITCHELL R. *see* ANDERSON R.A. & MITCHELL R. Evidence for GABA receptors on rat somatotrophes and gonadotrophes. 51*P*

MOBBS P. *see* ATTWELL D., BREW H., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Use of patch-clamp recording to study Müller cells and bipolar cells isolated from, or in, slices of the axolotl retina. (D) 4*P*

MOBBS P. *see* ATTWELL D., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Membrane currents in depolarizing bipolar cells recorded by whole-cell patch-clamping in living retinal slices from the axolotl retina. 34*P*

MØLLGARD K. *see* DZIEGIELEWSKA K.M., MØLLGARD K., SAUNDERS N.R., SOREQ H. & ZAKUT H. mRNA expression and localization of plasma proteins in human fetal brain. 54*P*

MORLEY J. *see* MAZZONI L., MORLEY J., PAGE C.P. & SANJAR S. Induction of airway hyper-reactivity by platelet activating factor in the guinea-pig. 107*P*

MORRISON J.F.B. *see* LUMB B.M. & MORRISON J.F.B. Effects of ventromedial forebrain stimulation on the activities of raphe- and reticulo-spinal neurones in the rat. 28*P*

MORTON Mark J. *see* ANDERSON Debra F., FABER J. Job, MORTON Mark J., PARKS Christine M., PINSON C. Wright & THORNBURG Kent L. Flow through the foramen ovale of the fetal and new-born lamb. 29

MURPHY K. *see* ADAMS L., GUZ A., INNES J.A. & MURPHY K. The circulatory response to voluntary and electrically induced exercise in man. 99*P*

MURPHY K. *see* GUZ A., MACRAE K., MURPHY K., SHEA S. & WALTER J. The effect of opening the eyes and reading on resting ventilation in man. 101*P*

MURPHY P.C. *see* GRIEVE K.L., MURPHY P.C. & SILLITO A.M. An evaluation of the role of CCK and VIP in the cat visual cortex. 42*P*

MUSCHOLL E. *see* HOCHGESAND U., MUSCHOLL E. & RACKÉ K. Gadolinium ions inhibit basal and electrically evoked ^{45}calcium overflow from isolated superfused neural lobes of the rat pituitary gland. 50*P*

MYSLINSKI N. *see* MATTHEWS B. & MYSLINSKI N. Selective stimulation of afferent nerves in incisor tooth-pulp of the rat. (D) 14*P*

NAFTALIN R.J. & ROSELAAR S.E. Evidence from counterflow for compartmentation of D-glucose within human red cells. 88*P*

NAGLER Miriam *see* FOSTER Kent H., GASKA James P., NAGLER Miriam & POLLEN Daniel A. Spatial and temporal frequency selectivity of neurones in visual cortical areas V1 and V2 of the macaque monkey. 331

NEERING I.R. *see* MCBURNEY R.N. & NEERING I.R. Relationships between action potential duration and peak change in $[Ca^{2+}]_i$ in rat sensory neurones grown in cell culture. 59*P*

NERHED Christer *see* ECKBERG Dwain L., NERHED Christer & WALLIN B. Gunnar Respiratory modulation of muscle sympathetic and vagal cardiac outflow in man. 181

NEWHAM D.J. *see* JONES D. A. & NEWHAM D.J. A simple apparatus for eccentric or concentric exercise of the biceps. (D) 10*P*

NEWHAM D.J. *see* JONES D.A. & NEWHAM D.J. The effect of training on human muscle pain and damage. 76*P*

NEWSOM-DAVIS J. *see* LANG B., NEWSOM-DAVIS J., PEERS C. & WRAY D. Mechanism of action of human autoantibodies interfering with acetylcholine release in the mouse. 79*P*

NICHOLS C.G. *see* ALLEN D.G., NICHOLS C.G. & SMITH G.L. The effect of diastolic length on calcium transients in isolated ferret ventricular muscle. 57*P*

O'BYRNE K.T. & SUMMERLEE A.J.S. Relaxin suppression of oxytocin release occurs at the neurohypophysis in the rat. 49*P*

OGDEN D.C. The dependence of channel opening probability on acetylcholine concentration at the frog neuromuscular junction. 77*P*

OKAMOTO K. *see* KIMURA H., OKAMOTO K. & SAKAI Y. Pharmacological evidence for L-aspartate as the neurotransmitter of cerebellar climbing fibres in the guinea-pig. 103

ORCHARD C.H. *see* LAKATTA E.G. & ORCHARD C.H. Heart muscle from senescent rats has a prolonged calcium transient. 58*P*

ORLOFF M.S. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

PAGE C.P. *see* MAZZONI L., MORLEY J., PAGE C.P. & SANJAR S. Induction of airway hyper-reactivity by platelet activating factor in the guinea-pig. 107*P*

PAPPAS T.N. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

PARKER I. *see* MILEDI R., PARKER I. & SUMIKAWA K. Kainic acid opens low conductance channels in *Xenopus laevis* oocytes injected with mRNA from rat brain. 85*P*

PARKER K.H. *see* CARO C.G., FISH P.J., GOSS D.E., HALLS J., LEVER M.J., PARKER K.H. & STACEY-CLEAR A. Effect of isosorbide dinitrate on arterial haemodynamics in man. 93*P*

PARKS Christine M. *see* ANDERSON Debra F., FABER J. Job, MORTON Mark J., PARKS Christine M., PINSON C. Wright & THORNBURG Kent L. Flow through the foramen ovale of the fetal and new-born lamb. 29

PEATFIELD A.C. *see* BAKER Belinda, PEATFIELD A.C. & RICHARDSON P.S. Nervous control of mucin secretion into human bronchi 297

PEERS C. *see* LANG B., NEWSOM-DAVIS J., PEERS C. & WRAY D. Mechanism of action of human autoantibodies interfering with acetylcholine release in the mouse. 79*P*

PETERS J.A. *see* COTTRELL G.A., LAMBERT J.J. & PETERS J.A. Chloride currents activated by GABA in cultured bovine chromaffin cells. 90*P*

PETERSEN Ole H. & SINGH Jaipaul Acetylcholine-evoked potassium release in the mouse pancreas. 319

PIAZZESI G. *see* COLOMO F., LOMBARDI V. & PIAZZESI G. A velocity-dependent shortening deactivation in frog muscle fibres during the rise of tension in an isometric tetanus. 64*P*

PINSON C. Wright *see* ANDERSON Debra F., FABER J. Job, MORTON Mark J., PARKS Christine M., PINSON C. Wright & THORNBURG Kent L. Flow through the foramen ovale of the fetal and new-born lamb. 29

PIRCHIO Mario *see* CRUNELLI Vincenzo, LERESCHE Nathalie & PIRCHIO Mario Lack of calcium potentials in principal neurones of the rat ventral LGN *in vitro*. 39*P*

PIRCHIO Mario *see* CRUNELLI Vincenzo, LERESCHE Nathalie & PIRCHIO Mario Non-NMDA receptors mediate the optic nerve input to the rat LGN *in vitro*. 40*P*

PIRONT A. *see* GILLIS J.M., LEBACQ J. & PIRONT A. Quantification of the relaxing effect of muscle parvalbumins. 67*P*

PLENDERLEITH M.B. *see* CERVERO F. & PLENDERLEITH M.B. C-fibre excitation and tonic descending inhibition of dorsal horn neurones in adult rats treated at birth with capsaicin. 223

PLUMMER J.M., ROBERTSON L. & WATSON P.F. Accumulation of calcium in cold-shocked spermatozoa of the ram and its intracellular localization using pyroantimonate. 65*P*

POLLEN Daniel A. *see* FOSTER Kent H., GASKA James P., NAGLER Miriam & POLLEN Daniel A. Spatial and temporal frequency selectivity of neurones in visual cortical areas V1 and V2 of the macaque monkey. 331

POOLE-WILSON P.A. & SEABROOKE S.R. Relationship between intracellular pH and contractility in guinea-pig papillary muscles. 63*P*

POUCHER S.M. & SUMMERILL R.A. Renal response to carotid chemoreceptor stimulation in anaesthetized dogs. 114*P*

PRINCE C.A. *see* BINDMAN Lynn J., MEYER T. & PRINCE C.A. Intracellular measurements of the electrical properties of neurones in the cerebral cortex of the rat: comparative data from slices *in vitro* and from the anaesthetized animal. (D) 15*P*

PROCHAZKA A. & TREND P.St.J. Instability in the control of arm position, evoked by increasing the stretch-responsiveness of muscle afferents in man. 21*P*

QAMAR M.I. & READ A.E. Coeliac axis blood flow in man during digestion. 94*P*

QUINTA-FERREIRA M.E. *see* BAYLOR S.M., HOLLINGWORTH S., HUI C.S. & QUINTA-FERREIRA M.E. Calcium transients from intact frog skeletal muscle fibres simultaneously injected with Antipyrylazo III and Axol. 70*P*

RACKÉ K. *see* HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Electrically evoked dopamine (DA) release from the neuro-intermediate lobe (NIL) of the rat hypophysis is increased after dehydration. 48*P*

RACKÉ K. *see* HOCHGESAND U., MUSCHOLL E. & RACKÉ K. Gadolinium ions inhibit basal and electrically evoked ^{45}calcium overflow from isolated superfused neural lobes of the rat pituitary gland. 50*P*

RAMSEY R.L. *see* KERRY C.J., RAMSEY R.L., SANSOM M.S.P., USHERWOOD P.N.R. & WASHIO H. The effect of tubocurarine on single glutamate-activated channels in locust muscle. 82*P*

READ A.E. *see* QAMAR M.I. & READ A.E. Coeliac axis blood flow in man during digestion. 94*P*

REEVE JR J.R. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

REGGIANI C. *see* EDMAN K.A.P., REGGIANI C. & TE KRONNIE G. Differences in maximum velocity of shortening along single muscle fibres of the frog. 147

REINKING Robert M. *see* HAMM Thomas M., REINKING Robert M., ROSCOE Dennis D. & STUART Douglas G. Synchronous afferent discharge from a passive muscle of the cat: significance for interpreting spike-triggered averages. 77

RENNIE M.J. & WATT P.W. Lactate transport studied in perfused rat skeletal muscle. 96*P*

REPRESA J. *see* BARBOSA E. & GIRALDEZ F. & REPRESA J. Transepithelial potential and resistance in the otic vesicle of the chick embryo. 53*P*

RICHARDSON P.S. *see* BAKER Belinda, PEATFIELD A.C. & RICHARDSON P.S. Nervous control of mucin secretion into human bronchi 297

RICHARDSON P.S. *see* GRIFFIN G.E., MCDOUGALL A., MIAN N. & RICHARDSON P.S. A method for measuring the output of mucins from the hamster caecum. (D) 17*P*

RIVIER J.E. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

ROBERTSON L. *see* PLUMMER J.M., ROBERTSON L. & WATSON P.F. Accumulation of calcium in cold-shocked spermatozoa of the ram and its intracellular localization using pyroantimonate. 65*P*

ROBINSON Anne C. & WHITAKER Elaine M. Hypothalamic oestradiol and progesterone receptors in Zucker rats. 115*P*

ROSCOE Dennis D. *see* HAMM Thomas M., REINKING Robert M., ROSCOE Dennis D. & STUART Douglas G. Synchronous afferent discharge from a passive muscle of the cat: significance for interpreting spike-triggered averages. 77

ROSELAAR S.E. *see* NAFTALIN R.J. & ROSELAAR S.E. Evidence from counterflow for compartmentation of D-glucose within human red cells. 88*P*

ROTHWELL J.C. *see* BERARDELLI A., DAY B.L., MARSDEN C.D. & ROTHWELL J.C. Observations on the mechanism of long-lasting reciprocal inhibition in the human forearm. 24*P*

ROUND J.M. *see* FAULKNER J.A., JONES D.A. & ROUND J.M. Injury to skeletal muscle of mice by lengthening contractions. 75*P*

SAKAI Toshio *see* KONISHI Masato, KURIHARA Satoshi & SAKAI Toshio Change in intracellular calcium ion concentration induced by caffeine and rapid cooling in frog skeletal muscle fibres. 131

SAKAI Y. *see* KIMURA H., OKAMOTO K. & SAKAI Y. Pharmacological evidence for L-aspartate as the neurotransmitter of cerebellar climbing fibres in the guinea-pig. 103

SANJAR S. *see* MAZZONI L., MORLEY J., PAGE C.P. & SANJAR S. Induction of airway hyper-reactivity by platelet activating factor in the guinea-pig. 107*P*

SANSOM M.S.P. *see* KERRY C.J., RAMSEY R.L., SANSOM M.S.P., USHERWOOD P.N.R. & WASHIO H. The effect of tubocurarine on single glutamate-activated channels in locust muscle. 82*P*

SARGEANT A.J. *see* JOHNS L., SARGEANT A.J. & WHITTLE M.W. The measurement of external knee moment during weight-lifting. (D) 9*P*

SARGEANT A.J. *see* DOLAN P., GREIG C. & SARGEANT A.J. Effect of active and passive warm-up on maximal short-term power output of human muscle. 74*P*

SAUNDERS N.R. *see* DZIEGIELEWSKA K.M., MØLLGARD K., SAUNDERS N.R., SOREQ H. & ZAKUT H. mRNA expression and localization of plasma proteins in human fetal brain. 54*P*

SAYERS J.A. *see* HOLLAND R.L., KEATINGE W.R. & SAYERS J.A. Some effects of raised body temperature on mental activity 117*P*

SCOTT R.H. *see* DOLPHIN A.C., FORDA S.R. & SCOTT R.H. The adenosine analogue 2-chloroadenosine inhibits Ba^{2+} currents in rat dorsal root ganglion neurones in culture. 86*P*

SEABROOKE S.R. *see* POOLE-WILSON P.A. & SEABROOKE S.R. Relationship between intracellular pH and contractility in guinea-pig papillary muscles. 63*P*

SELYANKO A.A. *see* BROWN D.A. & SELYANKO A.A. Membrane currents underlying the cholinergic slow excitatory post-synaptic potential in the rat sympathetic ganglion. 365

SHARMAN D.F. *see* HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Electrically evoked dopamine (DA) release from the neuro-intermediate lobe (NIL) of the rat hypophysis is increased after dehydration. 48*P*

SHEA S. *see* GUZ A., MACRAE K., MURPHY K., SHEA S. & WALTER J. The effect of opening the eyes and reading on resting ventilation in man. 101*P*

SHEARDOWN M.J. *see* DAVIES J., MILLER A.J. & SHEARDOWN M.J. Excitatory amino acid receptors and neurotransmission in the cat red nucleus. 33*P*

SHIELLS R.A. The dogfish retinal slice preparation: responses of rod horizontal cells to ionophoretically applied amino acids. (D) 6*P*

SILLITO A.M. *see* GRIEVE K.L., MURPHY P.C. & SILLITO A.M. An evaluation of the role of CCK and VIP in the cat visual cortex. 42*P*

SIM J.A. *see* CONSTANTI A. & SIM J.A. A slow, muscarine-sensitive Ca-dependent K current in guinea-pig olfactory cortex neurones *in vitro*. 47*P*

SIMONS T.J.B. Ca transport by pigeon red blood cell mitochondria. (D) 16*P*

SINGH Jaipaul *see* PETERSEN Ole H. & SINGH Jaipaul Acetylcholine-evoked potassium release in the mouse pancreas. 319

SLEEP J. *see* GLYN H. & SLEEP J. Dependence of adenosine triphosphatase activity of rabbit psoas muscle fibres and myofibrils on substrate concentration. 259

SMITH G.L. *see* ALLEN D.G., EISNER D.A., SMITH G.L. & WRAY Susan The effects of an extract of the foxglove (*Digitalis purpurea*) on tension and intracellular calcium concentration in ferret papillary muscle. 55*P*

SMITH G.L. *see* ALLEN D.G., NICHOLS C.G. & SMITH G.L. The effect of diastolic length on calcium transients in isolated ferret ventricular muscle. 57*P*

SMITH I.C.H. *see* AMOBI N.I.B. & SMITH I.C.H. The selective effects of calcium substitution with strontium on the biphasic responses of the rat isolated vas deferens. 69*P*

SMITH S.M. *see* MCBURNEY R.N., SMITH S.M. & ZOREC R. Conductance states of γ-aminobutyric acid (GABA) and glycine-activated chloride (Cl^-) channels in rat spinal neurones in cell culture. 87*P*

SOREQ H. *see* DZIEGIELEWSKA K.M., MØLLGARD K., SAUNDERS N.R., SOREQ H. & ZAKUT H. mRNA expression and localization of plasma proteins in human fetal brain. 54*P*

SPINELLI F. *see* BROWNLEE A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Decreased natriuretic response to atrial natriuretic factor (ANF) in water loaded rats. 111*P*

SPURWAY N.C. *see* DAWSON M.J., SPURWAY N.C. & WRAY Susan A ^{31}P nuclear magnetic resonance (NMR) study of isolated rabbit arterial smooth muscle. 72*P*

STACEY-CLEAR A. *see* CARO C.G., FISH P.J., GOSS D.E., HALLS J., LEVER M.J., PARKER K.H. & STACEY-CLEAR A. Effect of isosorbide dinitrate on arterial haemodynamics in man. 93*P*

STEPHENS J.A. *see* DATTA A.K., FLEMING Jean R. & STEPHENS J.A. Effect of central nervous system lesions on the synchronization between motor unit discharge during voluntary contraction in human first dorsal interosseous muscle. 19*P*

STORM J. *see* ANDERSEN P., STORM J. & WHEAL H.V. Distal and proximal dendritic synapses elicit action potentials at different thresholds in CA1 pyramidal cells in the rat hippocampus *in vitro*. 46*P*

STUART Douglas G. *see* HAMM Thomas M., REINKING Robert M., ROSCOE Dennis D. & STUART Douglas G. Synchronous afferent discharge from a passive muscle of the cat: significance for interpreting spike-triggered averages. 77

SULLIVAN A. *see* DICKENSON A.H., KNOX R. & SULLIVAN A. The effects of intrathecal mu and kappa opiates on nociceptive processing in the rat dorsal horn. 31*P*

SUMIKAWA K. *see* MILEDI R., PARKER I. & SUMIKAWA K. Kainic acid opens low conductance channels in *Xenopus laevis* oocytes injected with mRNA from rat brain. 85*P*

SUMMERILL R.A. *see* POUCHER S.M. & SUMMERILL R.A. Renal response to carotid chemoreceptor stimulation in anaesthetized dogs. 114*P*

SUMMERLEE A.J.S. *see* O'BYRNE K.T. & SUMMERLEE A.J.S. Relaxin suppression of oxytocin release occurs at the neurohypophysis in the rat. 49*P*

SWANN Karl Inositol-(1,4,5)-trisphosphate and calcium release at fertilization in sea-urchin eggs. 61*P*

TADESSE K. & WONG Betty Intestinal lactase activity in Hong Kong Chinese. 108*P*

TARBELL J.M. *see* CARO C.G., LEVER M.J. & TARBELL J.M. Effect of luminal flow rate on transmural fluid flux in the perfused rabbit common carotid artery. 92*P*

TE KRONNIE G. *see* EDMAN K.A.P., REGGIANI C. & TE KRONNIE G. Differences in maximum velocity of shortening along single muscle fibres of the frog. 147

TESSIER-LAVIGNE M. *see* ATTWELL D., BREW H., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Use of patch-clamp recording to study Müller cells and bipolar cells isolated from, or in, slices of the axolotl retina. (D) 4*P*

TESSIER-LAVIGNE M. *see* ATTWELL D., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Membrane currents in depolarizing bipolar cells recorded by whole-cell patch-clamping in living retinal slices from the axolotl retina. 34*P*

THORNBURG Kent L. *see* ANDERSON Debra F., FABER J. Job, MORTON Mark J., PARKS Christine M., PINSON C. Wright & THORNBURG Kent N. Flow through the foramen ovale of the fetal and new-born lamb. 29

TOFTS Paul & WRAY Susan A simple direct method for measuring concentrations of phosphorus-containing metabolites *in vitro* using nuclear magnetic resonance (NMR). (D) 12*P*

TORRE V. *see* LAMB T.D., MATTHEWS H.R. & TORRE V. Trapped calcium buffer alters the light-adaptation properties of rod photoreceptors from *Ambystoma tigrinum*. 37*P*

TREND P.St.J. *see* PROCHAZKA A. & TREND P.St.J. Instability in the control of arm position, evoked by increasing the stretch-responsiveness of muscle afferents in man. 21*P*

USHERWOOD P.N.R. *see* KERRY C.J., RAMSEY R.L., SANSOM M.S.P., USHERWOOD P.N.R. & WASHIO H. The effect of tubocurarine on single glutamate-activated channels in locust muscle. 82*P*

VALDEOLMILLOS M. *see* ALLEN D.G., EISNER D.A. & VALDEOLMILLOS M. The use of aequorin to measure intracellular calcium in voltage-clamped cardiac Purkinje fibres. (D) 7*P*

VALDEOLMILLOS M. *see* EISNER D.A. & VALDEOLMILLOS M. Measurement of intracellular Ca oscillations from one cell in a sheep isolated Purkinje fibre. 56*P*

VAN DER LAARSE W.J. *see* ELZINGA G. & VAN DER LAARSE W.J. Oxygen consumption of single frog muscle fibres during twitch contractions. 71*P*

VAN WAGONER D. & WHITTEMBURY J. An improved current electrode/injection capillary for large cell voltage clamp. (D) 8*P*

WAKABAYASHI Y. *see* BROWNLEE A., LEE G., MILLS Ivor H., SPINELLI F. & WAKABAYASHI Y. Decreased natriuretic response to atrial natriuretic factor (ANF) in water loaded rats. 111*P*

WAKEFIELD Julie M. *see* JONES P.W. & WAKEFIELD Julie M. Haemodynamic and ventilatory responses to a vasodilator during steady-state upright exercise in man following beta-adrenergic blockade. 100*P*

WALI F.A. The effect of lignocaine at the frog sartorius muscle. 78*P*

WALLIN B. Gunnar *see* ECKBERG Dwain L., NERHED Christer & WALLIN B. Gunnar Respiratory modulation of muscle sympathetic and vagal cardiac outflow in man. 181

WALSH E.G. *see* LAKIE M., WALSH E.G. & WRIGHT G.W. Absence of stretch reflex activity in a physiological tremor in man. 22*P*

WALSH J.H. *see* BUNNETT N.W., CLARK B., DEBAS H.T., DEL MILTON R.C., KOVACS T.O.G., ORLOFF M.S., PAPPAS T.N., REEVE JR J.R., RIVIER J.E. & WALSH J.H. Canine bombesin-like gastrin releasing peptides stimulate gastrin release and acid secretion in the dog. 121

WALTER J. *see* GUZ A., MACRAE K., MURPHY K., SHEA S. & WALTER J. The effect of opening the eyes and reading on resting ventilation in man. 101*P*

WARD R.A. *see* BAMFORD O.S., DAWES G.S. & WARD R.A. A possible dopaminergic pathway stimulating breathing in fetal lambs. 105*P*

WARNER Anne *see* BEVAN S., ENTWISTLE A., WARNER Anne & ZALIN Rosalind Acetylcholine receptors play a role in the regulation of chick myoblast fusion. 89*P*

WASHIO H. *see* KERRY C.J., RAMSEY R.L., SANSOM M.S.P., USHERWOOD P.N.R. & WASHIO H. The effect of tubocurarine on single glutamate-activated channels in locust muscle. 82*P*

WATSON P.F. *see* PLUMMER J.M., ROBERTSON L. & WATSON P.F. Accumulation of calcium in cold-shocked spermatozoa of the ram and its intracellular localization using pyroantimonate. 65*P*

WATSON-WRIGHT W.M. & WILKINSON M. β-adrenergic receptors are increased in soleus muscle slices from dystrophic hamsters. 81*P*

WATT P.W. *see* RENNIE M.J. & WATT P.W. Lactate transport studied in perfused rat skeletal muscle. 96*P*

WEBB Sandra N. *see* LUFF A.R. & WEBB Sandra N. Electromyographic activity in the cross-reinnervated soleus muscle of unrestrained cats. 13

WEINREICH D. *see* FOWLER J.C., GREENE R. & WEINREICH D. Two calcium-sensitive spike after-hyperpolarizations in visceral sensory neurones of the rabbit. 59

WHEAL H.V. *see* ANDERSEN P., STORM J. & WHEAL H.V. Distal and proximal dendritic synapses elicit action potentials at different thresholds in CA1 pyramidal cells in the rat hippocampus *in vitro*. 46*P*

WHITAKER Elaine M. *see* ROBINSON Anne C. & WHITAKER Elaine M. Hypothalamic oestradiol and progesterone receptors in Zucker rats. 115*P*

WHITAKER Michael An imaging photon detector for the measurement of low-intensity luminescence. (D) 5*P*

WHITAKER Michael Calcium-dependent polyphosphoinositide hydrolysis during exocytotic secretion in bovine adrenal medullary cells permeabilized by application of electric fields. 60*P*

WHITE M.J. *see* DAVIES C.T.M., DOOLEY P., MCDONAGH M.J.N. & WHITE M.J. Adaptation of mechanical properties of muscle to high force training in man. 277

WHITTEMBURY J. *see* VAN WAGONER D. & WHITTEMBURY J. An improved current electrode/injection capillary for large cell voltage clamp. (D) 8*P*

WHITTLE M.W. *see* JOHNS L., SARGEANT A.J. & WHITTLE M.W. The measurement of external knee moment during weight-lifting. (D) 9*P*

WILKINSON M. *see* WATSON-WRIGHT W.M. & WILKINSON M. β-adrenergic receptors are increased in soleus muscle slices from dystrophic hamsters. 81*P*

WILSON M. *see* ATTWELL D., BREW H., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Use of patch-clamp recording to study Müller cells and bipolar cells isolated from, or in, slices of the axolotl retina. (D) 4*P*

WILSON M. *see* ATTWELL D., MOBBS P., TESSIER-LAVIGNE M. & WILSON M. Membrane currents in depolarizing bipolar cells recorded by whole-cell patch-clamping in living retinal slices from the axolotl retina. 34*P*

WILSON M.G.A. *see* BISCOE T.J., DUCHEN M.R. & WILSON M.G.A. Use of the RML microcomputer 380Z for on-line testing of primary afferent terminal excitability in the mouse spinal cord *in vitro*. (D) 2*P*

WONG Betty *see* TADESSE K. & WONG Betty Intestinal lactase activity in Hong Kong Chinese. 108*P*

WRAY D. *see* LANG B., NEWSOM-DAVIS J., PEERS C. & WRAY D. Mechanism of action of human autoantibodies interfering with acetylcholine release in the mouse. 79*P*

WRAY D. *see* DOLLY J.O., LANDE S. & WRAY D. A population of miniature end-plate potential unaffected by botulinum neurotoxin at mouse motor nerve terminals. 80*P*

WRAY Susan *see* TOFTS Paul & WRAY Susan A simple direct method for measuring concentrations of phosphorus-containing metabolites *in vitro* using nuclear magnetic resonance (NMR). (D) 12*P*

WRAY Susan *see* ALLEN D.G., EISNER D.A., SMITH G.L. & WRAY Susan The effects of an extract of the foxglove (*Digitalis purpurea*) on tension and intracellular calcium concentration in ferret papillary muscle. 55*P*

WRAY Susan *see* DAWSON M.J., SPURWAY N.C. & WRAY Susan A ^{31}P nuclear magnetic resonance (NMR) study of isolated rabbit arterial smooth muscle. 72*P*

WRIGHT G.W. *see* LAKIE M., WALSH E.G. & WRIGHT G.W. Absence of stretch reflex activity in a physiological tremor in man. 22*P*

YAU K.-W. *see* HAYNES L. & YAU K.-W. Cyclic GMP-sensitive conductance in excised inside-out membrane patches from catfish cone outer segment. 35*P*

YOUNG A. *see* LEVIN R.J. & YOUNG A. Electrogenic currents induced by secretagogues across jejuna from fed and fasted rats. 109*P*

YUSOF A.P.M. *see* COOTE J.H. & YUSOF A.P.M. The responses of vasoconstrictor neurones of skeletal muscle and kidney to stimulation of the medullary raphe area of the rat. 112*P*

ZAKUT H. *see* DZIEGIELEWSKA K.M., MØLLGARD K., SAUNDERS N.R., SOREQ H. & ZAKUT H. mRNA expression and localization of plasma proteins in human fetal brain. 54*P*

ZALIN Rosalind *see* BEVAN S., ENTWISTLE A., WARNER Anne & ZALIN Rosalind Acetylcholine receptors play a role in the regulation of chick myoblast fusion. 89*P*

ZILL S. *see* CLARAC F., LIBERSAT F. & ZILL S. Single mechanoreceptor afferent units firing during locomotion in the shore crab (*Carcinus maenas*). 25*P*

ZOREC R. *see* MCBURNEY R.N., SMITH S.M. & ZOREC R. Conductance states of γ-aminobutyric acid (GABA) and glycine-activated chloride (Cl^-) channels in rat spinal neurones in cell culture. 87*P*